

<u>Diagnosis/Symptom</u>	<u>Refer to Pulmonology when:</u>	<u>Pre-Referral Workup</u>
<u>Apnea</u> ICD-9 786.03	<ul style="list-style-type: none"> • Infants (see > 1 y/o below) 	<ul style="list-style-type: none"> ▶ Neonatal Record ▶ Pneumogram ▶ Chest X-Ray images on film or digital
<u>Apnea</u> ICD-9 786.03	<ul style="list-style-type: none"> • > 1 y/o (see infant above) 	<ul style="list-style-type: none"> ▶ Chest X-Ray images on film or digital ▶ Soft tissue neck X-Ray ▶ Polysomnogram
<u>Asthma</u> ICD-9 493.00	<ul style="list-style-type: none"> • Hospitalization • More than 2 systemic steroids per year • Missing too much school • Under 2 years 	<ul style="list-style-type: none"> ▶ IqE ▶ Southern California RAST Panel ▶ Check X-Ray
<u>Bronchopulmonary Dysplasia (B.P.D.)</u> ICD-9 770.70	<ul style="list-style-type: none"> • O₂ dependent • Recurrent wheezing • Hospitalizations 	<ul style="list-style-type: none"> ▶ Growth curve ▶ Neonatal Discharge Summary ▶ Nebulizer ▶ Chest X-Ray images on film or digital
<u>Chronic Cough</u> ICD-9 786.20	<ul style="list-style-type: none"> • Bronchodilators • Oral steroids • Antibiotics as appropriate 	<ul style="list-style-type: none"> ▶ Chest X-Ray images on film or digital ▶ Southern California RAST Panel ▶ Mycoplasma Titre ▶ Pertussis PCR (Polymerase Chain Reaction)
<u>Cystic Fibrosis</u> ICD-9 277.00	<ul style="list-style-type: none"> • Newborn screening 	<ul style="list-style-type: none"> ▶ Complete Blood Count (CBC) ▶ Comprehensive Metabolic Panel ▶ Growth Curve ▶ Hemoglobin A1C ▶ Vitamin A level ▶ 25 Hydroxy Vitamin D level ▶ Sputum Culture for CF Organisms at St. Joseph's ▶ Order sweat test at St. Joseph's or Mission Hospital ▶ Chest X-Ray images on film or digital ▶ Records from previous provider

<u>Diagnosis/Symptom</u>	<u>Refer to Pulmonology when:</u>	<u>Pre-Referral Workup</u>
<u>Recurrent Pneumonia</u> ICD-9 V12.61	<ul style="list-style-type: none"> • 2nd case of Pneumonia 	<ul style="list-style-type: none"> ▶ Chest X-Ray images on film or digital ▶ Quantitative Immune Globulins ▶ IqE ▶ Growth Curve ▶ Discharge Summaries ▶ Southern California RAST Panel
<u>Respiratory Syncytial Virus (R.S.V.)</u> ICD-9 V04.82	<ul style="list-style-type: none"> • See Page 3 below 	<ul style="list-style-type: none"> ▶ See Page 3 below

Diagnosis/Symptom

Refer to Pulmonology when:

Pre-Referral Workup

Respiratory Syncytial Virus (R.S.V.)

ICD-9 V04.82

- **Infants with chronic lung disease** less than 2 years of age as of November 1st who have been on oxygen, diuretics, inhaled corticosteroids within the last 6 mos.
- **Infants with congenital heart disease or pulmonary hypertension** less than 2 years of age as of Nov. 1st, requiring diuretics, digoxin, enalapril, sildenafil or other cardiac drugs
- **Healthy premature infants 28 weeks or less** and under one year as of November 1st.
- **Healthy premature infants 28 weeks plus or less than 32 weeks** and under six months as of November 1st.
- **Healthy premature infants 32 weeks + or < 35 weeks** with either risk factor:
Infant in daycare or 1 or more siblings or other children younger than 5 years living in the child's household and less than 6 months of age as of November 1st.
- **Congenital abnormalities of the airways or severe neuromuscular disease** less than 35 weeks gestational age.
- **Other infants at high risk for hospitalization with RSV** such as tracheostomy, congenital airway abnormalities, immune deficiency, neuromuscular weakness, weak cough or other conditions
- Neuromuscular Disease
- Poor Airway

▶ No Pre-Referral Workup